File E28476 Vol. 7 Sec. 51 Page 1 Issued: 1992-01-29 Vol. 24 Sec. 9 Revised: 2008-12-08

and Report

## $\underline{\mathsf{D}}\ \underline{\mathsf{E}}\ \underline{\mathsf{S}}\ \underline{\mathsf{C}}\ \underline{\mathsf{R}}\ \underline{\mathsf{I}}\ \underline{\mathsf{P}}\ \underline{\mathsf{T}}\ \underline{\mathsf{I}}\ \underline{\mathsf{O}}\ \underline{\mathsf{N}}$

## PRODUCT COVERED:

Component Connectors, Series AMP Innergy-WTW Connectors.

## GENERAL:

These devices are multi-pole connectors employing contacts of the crimp termination type for use in electrical equipment where the acceptability of the combinations is determined by Underwriters Laboratories Inc.

## ENGINEERING CONSIDERATIONS (NOT FOR UL REPRESENTATIVE USE):

<u>Use</u> - For use only in or complete equipment where the acceptability of the combination is determined by Underwriters Laboratories Inc.

<u>Conditions of Acceptability</u> - In order to be judged acceptable as a component of electrical equipment, the following conditions should be met.

- 1. These devices should be used only where they will not interrupt the current.
  - 2. These devices have not been tested for current-carrying capability.
- 3. The suitability of the mounting means shall be determined in the end use.
- 4. The placement of these devices within the equipment enclosure should be such that spacings between the live parts and the equipment are suitable for the particular application.
- \* 5. The adjacent poles may be used at potentials not exceeding 600 V based on the spacings requirements of (Paragraph 11.1 of UL 1977). Dielectric testing has not been performed.

File E28476 Vol. 7 Sec. 51 Page 2 Issued: 1-29-92 Vol. 24 Sec. 9

and Report

6. The factory assembled contacts have been investigated for the following wire ranges and maximum tensile forces:

Part No.	Wire Range (AWG)	(Tensile Force lb)
556135	18, 16, 14	30
556136	12, 10	30

- 7. The suitability of the insulating materials used in the molded bodies shall be judged in the end-use equipment.
- 8. The operating temperature of these devices should not exceed the temperature ratings of the insulating materials. These materials may be used interchangeably at a maximum temperature of 105°C.