DESIGN OBJECTIVES

22/49/50P DOOR TO BODY CONNECTOR, MQS0.64, MCON 1.2CB, MCP2.8K **108-101436**

The product described in this document has not been fully tested to ensure conformance to the requirements outlined herein. TE Connectivity makes no representation or warranty, express or implied that the product will comply with these requirements. Further, TE Connectivity reserves the right these requirements based on the results of additional testing and evaluation. Contact TE Connectivity Engineering for further information. If necessary, This document will become the Product Specification at successful completion of testing.

1. Scope:

1.1 Content

This specification covers the requirements for product performance, test methods and quality assurance provisions of 22P/49P/50P Door to Body plug connector.

22P REC PLUG: 2298567-1 Include 2298573-1, 2298574-1 22P TAB PLUG: 2298566-1 Include 2298573-1, 2298574-1 49P REC PLUG: 2301238-1 Include 2298002-1, 2301240-1 49P TAB PLUG: 2301239-1 Include 2298002-1, 2301241-1 50P REC PLUG: 2297522-1 Include 2298002-1, 2298003-1 50P TAB PLUG: 2297523-1 Include 2298002-1, 2298003-1 Other detail information refer to corresponding customer drawing

1.2 Qualification

When tests are performed on the subject product line, the procedures specified in TE Connectivity 109 series specifications shall be used. All inspections shall be performed using the applicable Inspection Plan and Product Drawing.

2. Applicable Documents:

The following documents form a part of this Specification to the extent specified herein. In the event of conflict between the requirements of this Specification and the product drawing shall take precedence. In the event of conflict between the requirements of this specification and the referenced documents, this specification shall take precedence.

				СНК	09SEP16	connectivity	Shang	nnectivity hai,
				APP		NO.	REV	LOC
				I.YIN	09SEP16	108-101428	A	ES
				PAGE	TITLE			
A	PRELIMINARY RELEASE	T.D	09SEP2016	1 of 10		AY UNSEALED D		
LTR	REVISION RECORD	DR	DATE			CONNECTOR, MO 1.2CB, MCP2.8K	JSU.04,	

1

2.1 TE Connectivity Specifications:

A. 108 SERIES: Test Specification, Requirements for Test Methods.

B. VW LV 214

C. USCAR-2 2013

3. Requirements:

3.1 Design and Construction

Product shall be of the design, construction and physical dimensions specified in the applicable product drawing.

3.2 Materials

Description for material see in product drawing.

3.3 Ratings:

Operating temperature Range : -40° C to $+90^{\circ}$ C

3.4 Performance and Test Descriptions

The product is designed to meet the electrical, mechanical and environmental performance requirements specified in paragraph 3.5 All tests are performed at ambient environmental conditions per VW LV214 unless otherwise specified

3.5 Requirements and Procedures Summary

		PAGE	NO.	REV	LOC
connectivity	TE Connectivity Shanghai, China	2 of 10	108-101436	A	ES

	MECHANICAL TEST									
Para.	Test items	Requirements		Procedures						
3.5.1	Visual inspection	No damage		Acc. I	Acc. DIN EN 60512-1-1					
3.5.2	Function of the primary lock	The primary lock mus latch audibly and mus checked by pulling it I (max. 10N).	Acc. LV214 2010-03 PG6 E6.2							
3.5.3	Function of the secondary lock	The secondary lock m be closable at the end Must not be closeable all the contacts are properly locked in the housing cavity in the correct position.	Acc. I PG6	LV214 2010-03 E6.3						
3.5.4	Drop test	Components shall not displaced from their intended shipping pos	Acc. USCAR-2 5.4.8							
3.5.5	3.5.5 Actuation forces for secondary lock Actuation forces for secondary lock Open force Fo=10N~50N Close force Fs<50N Contact not in end position: Fs NOK>3 times Fs,(at least FsNOK>Fs+50N)			Acc. I PG6	LV214 2010-03 E6.4	:				
3.5.6	Polarizing/Key-ing	Keying/Polarizing efficiency>3 times the insertion force(equipp housing),but at least 8	ed	Acc. LV214 2010-03 E7.1 DIN EN 60512-13-5						
3.5.7	Retention force of the housing latch/lock The retention force must>100N		Acc. LV214 2010-03 E7.2 DIN EN 60512-15-6							
	TE Connectivity Shanghai, China PAG 3				NO. 108-101436	REV A	LOC ES			

Para.	Test items	Requirements	Procedures						
3.5.8	Connector- Connector mating force	The mating force must<150N	Deviation to LV214 2010-03 PG7 E7.4						
3.5.9	Determination of the contact insertion forces	The insertion force must be measured and documented.	Acc. LV214 2010-03 E8.1						
3.5.10	Contact removal force from the housing, primary lock only	Primary lock test F prim>40N for MQS0.64; F prim>40N for MCON1.2CB; F prim>80N for MCP2.8K	Acc. LV214 2010-03 E8.2.1(without 1mm displacement)						
3.5.11	Contact removal force from the housing, secondary lock only	F prim>40N for MQS0.64 F prim>40N for MCON1.2CB F prim>80N for MCP2.8K	Acc. LV214 2010-03 E8.2.2						
	ENVIRONMENTAL TEST								
3.5.12	Current excess temperature with housing	The value must correspond to the manufacturer's specification	Measurement setup in principle like LV214 E14.0 Acc. DIN EN 60512-5-1						
3.5.13	Derating with housing	Acc. LV214 PG13 E13.2	Acc. LV214 PG 13 E13.2						
3.5.14	Contact resistance	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Acc. DIN EN 60512-2-1						
3.5.15	Contact resistance continuous during dynamic load, sinusoidal with test current(100mA)	No function-relevant damage must occur Circuit interruption monitoring takes place during the test. Permissible circuit interruption <1000ns. The circuit considered interrupted when the contact resistance exceeds 7Ω . Interruptions are not permissible.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$						

		PAGE	NO.	REV	LOC	
connectivity	TE Connectivity Shanghai, China	4 of 10	108-101436	A	ES	

Para.	Test items	Requirements	Procedures
3.5.16	Contact resistance continuous during dynamic load,broad-band random vibration with test current(100mA)	No function-relevant damage must occur Circuit interruption monitoring takes place during the test. Permissible circuit interruption <1000ns. The circuit considered interrupted when the contact resistance exceeds 7Ω . Interruptions are not permissible.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
3.5.17	Contact resistance continuous during endurance shock test with test current (100mA)	No function-relevant damage must occur Circuit interruption monitoring takes place during the test. Permissible circuit interruption <1000ns. The circuit considered interrupted when the contact resistance exceeds 7Ω . Interruptions are not permissible.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
3.5.18	Insulation resistance		Acc. DIN EN 60512-3-1
3.5.19	Resonance frequency of the contact assembly	The vibration response of the housing must also be recorded and documented as a graph together with the excitation profile in the test report	Acc. DIN EN 60068-2-6 Dynamic load, sinusoidal Sweep speed: 1oct./min a=10m/s ² f=5Hz-2000Hz-5Hz
3.5.20	Aging in dry heat(120h, 130°C)		Acc. DIN EN 60068-2-2 Test B Duration: 120h Temperature: 130°C
3.5.21	Humid heat, constant		Acc. DIN EN 60068-2-30 Duration: 10days Temperature: 40°C Relative humidity: 95% After this test, the insulation resistance must be measured at the earliest after 30min and at the latest after 60min
3.5.22	Low temperature aging		Acc. DIN EN 60068-2-1 Duration: 48h Temperature: -40°C

		PAGE	NO.	REV	LOC	ì
connectivity	TE Connectivity Shanghai, China	5 of 10	108-101436	A	ES	

Para.	Test items	Requirement	ts		Procedures				
3.5.23	Removal and insertion at -20°C	It must be possible tand re-close the coneven at -20°C Any latch elements must not break off cupon actuation	Acc. LV214 2010-03 PG20 B 20.4						
3.5.24	Aging in dry heat(48h,80°C)	No function-relevand damage must occur Circuit interruption monitoring takes pladuring the test. Pernocircuit interruption <1000 ns. The circuit considered interruption exceeds $7~\Omega$. Interruption are not permissible.	ace nissible at ed when	Durat	DIN EN 60068-2 tion: 48h perature: 80°C	2-2 Test	В		
3.5.25	Long-term aging in dry heat			Durat Temp	DIN EN 60068-2 tion: 1000h perature: 130°C equent aging: 48		В		
3.5.26	Functional test	Connection of the connection of the connection of the connector house	olete le lock nnection	Acc. LV214 2010-03 E21.1					
3.5.27	Temperature shock			Acc. DIN EN 60068-2-14 Duration: 144cycles Temperature: -40°C/90°C 15min respectively Acclimatization period: max.10s					
3.5.28	Degree of protection test	The insulation resist must $>100M \Omega$	tance	Acc. ISO 20653 IP X4K Water pressure/temperature: 4bar/RT Duration: 10min. (Connector mount on door)		bar/RT			
TE Connectivity Shanghai, China			PAGE 6 of	10	NO. 108-101436	REV A	LOC ES		

3.6 Product Qualification Test and Sequences

SAMPLE QUANTITIES								
	TE	ST GROUP	(MECHAN	IICAL TEST	ΓS)			
Test or examination	1	2	3	4	5			
		PG6		PG7	PG8			
3.5.1 Visual inspection	1	1,3	1	1,5	1,5			
3.5.2 Function of the primary lock	2							
3.5.3 Function of the secondary lock	3							
3.5.4 Drop test		2						
3.5.5 Actuation forces for secondary lock			2					
3.5.6 Polarizing/Keying				2				
3.5.7 Retention force of the housing latch/lock				3				
3.5.8 Connector-Connector mating force				4				
3.5.9 Determination of the contact insertion forces					2			
3.5.10 Contact removal force from the housing, primary lock only					3			
3.5.11 Contact removal force from the housing, secondary lock only					4			

		PAGE	NO.	REV	LOC
connectivity	TE Connectivity Shanghai, China	7 of 10	108-101436	A	ES

	SAMPLE QUANTITIES								
T		TES	T GROU	P(ENVI	RONME	NTAL 1	ΓEST)		
Test or	6	7	8	9	10				
examination	PG13	PG17	PG20	PG21	PG23				
3.5.1 Visual	1,4	1,4,6,8	1,6,9,12	1,8	1,4,7				
inspection 3.5.3	•			·					
Drop test				6					
3.5.9									
Contact removal									
force from the									
housing, primary									
lock only									
3.5.10									
Contact removal				7					
force from the				7					
housing, secondary									
lock only 3.5.12 Current									
excess temperature	2								
with housing									
3.5.13 Derating with									
housing	3								
3.5.14 Contact		2.0		0.4					
resistance		2,9		2,4					
3.5.15 Contact									
resistance									
continuous during		3							
dynamic load,									
sinusoidal with test									
current(100mA) 3.5.16 Contact									
resistance									
continuous during									
dynamic load, broad-		5							
band random									
vibration with test									
current(100mA)									
3.5.17 Contact									
resistance									
continuous during		7							
endurance shock test with test current									
(100mA)									
3.5.18 Insulation									
resistance			2,5		3,8				
3.5.19 Resonance									
frequency of the		10							
contact assembly									
3.5.20 Aging in dry			3						
heat(120h, 130°C)			<u> </u>				<u> </u>		
3.5.21 Humid heat,			4						
constant			4						

		PAGE	NO.	REV	LOC
connectivity	TE Connectivity Shanghai, China	8 of 10	108-101436	A	ES

3.5.22 Low temperature aging	7				
3.5.23 Removal and insertion at -20°C	8				
3.5.24 Aging in dry heat(48h,80°C)	10				
3.5.25 Long-term aging in dry heat		3			
3.5.26 Functional test	11	5			
3.5.27 Temperature shock			5		
3.5.28 Degree of protection test			2,6		

		PAGE	NO.	REV	LOC
connectivity	TE Connectivity Shanghai, China	9 of 10	108-101436	A	ES

4.1 Sample selection

Samples shall be prepared in accordance with applicable specification.

4.2 Test sequence

Qualification test shall be conducted as sequence specified in 3.6.

4.3 Requalification test

If changes significantly affecting form, fit or function are made to product or manufacturing process, product assurance shall co-ordinate requalification testing, consisting of all or part of original testing sequence as determined by developments, product, quality and reliability engineering.

5. APPENDIX

Appendix A

At least 100 ml (according to DIN EN ISO 175

Dousing at least 8 ml/cm² surface)

Rubbing in damp cotton cloth Spraying approx. 1 s per side

No.	PG	Chemical agent	Description	Application		Aging temp. °C	
					Rubbing		
				Dousing	in	Spraying	48 h
1	22 A	Cold-cleaning agent/cockpit cleaning agent	Commercially available			×	50
2	22 A	Penetrating oil	Commercially available			x	50
3	22 A	Undiluted washer fluid anti- freeze	Commercially available	x			50
4	22 A	Isopropanol	Commercially available	x			RT
5	22 A	Grease	High melting point grease		×		50
6	22 B	Brake fluid	DOT 4/DOT 5	x			50
7	22 B	FAM test fuel (gasoline/premium)	Commercially available	×			RT
8	22 B	Diesel	DIN EN 590	×			RT
8	22 B	Biodiesel	DIN EN 14214	x			RT
8	22 B	Diesel additive AdBlue	DIN 70070	x			RT
9	22 B	Engine oil 5W-30	Fully synthetic	x			50
10	22 B	Power steering fluid	According to requirement	×			50
10	22 B	Automatic transmission fluid	Fully synthetic	x			50
11	22 B	Radiator antifreeze	Stable to -40 °C	x			50
12	22 B	Battery fluid: Relevant only for DUTs that can come into contact with battery fluid	Diluted sulfuric acid; density 1,28 g/ml	×			50
13	22 B	Road salt solution	Mixture PG18C	×			50

		PAGE	NO.	REV	LOC
connectivity	TE Connectivity Shanghai, China	10 of 10	108-101436	A	ES