





REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
B1		REVISED PER ECO-14-018036	17FEB2015	AP DD
B2		REVISED PER ECN-24-252036	21MAR2024	AP RS




⚠ MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.

⚠ FINISH:
30µ" SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.



SCALE 4:1

REFER TO WWW.TE.COM FOR PRODUCT AVAILABILITY



RECOMMENDED PCB LAYOUT
MIN BOARD THICKNESS 1.0

NONE	⚠	2057961-1
KEY POSITION	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: R. GRZYBOWSKI 11JAN2012	NAME: IMPACT, 4 PAIR, DAUGHTERCARD	
DIMENSIONS: mm		CHK: D. DIXON 11JAN2012	PRODUCT SPEC: 12 COLUMN, UNGUIDED, SIGNAL MODULE, 0.39 EYELET	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: D. DIXON 11JAN2012	APPLICATION SPEC: -	
0 PLC ±0.2		SIZE: CAGE CODE DRAWING NO: A100779C=2057961		
1 PLC ±0.13		RESTRICTED TO: -		
2 PLC ±0.10		WEIGHT: -		
3 PLC ±0.075		SCALE: 6:1 SHEET 1 OF 1 REV: B2		
4 PLC ±0.05		CUSTOMER DRAWING		
ANGLES: -		FINISH: SEE TABLE		