Certificate Number UL-US-2133796-0

Report Reference E507163-20210706

**Date** 9-Jul-2021

Issued to: TYCO ELECTRONICS (SHANGHAI) CO LTD

Sections F, G and H, Level 1, Building 15

No. 999, Yinglun Road, China (Shanghai) Pilot Free Trade

Zone SHANGHAI China 200131

This is to certify that representative samples of

DUXR - Communications-, Audio/Video-, Data- and Other

Signaling-circuit Accessories

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1863, 4th Ed, Issue Date: 2004-05-14, Revision Date:

2019-10-14

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





 Certificate Number
 UL-US-2133796-0

 Report Reference
 E507163-20210706

**Date** 9-Jul-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
RPC-M12D-4FS-xxxxxSH-RJ45-4MS-TPE, where xxxxx	Ethernet Cable
represent the wire length, and x can be any number or	. YII. YII. YII. YII. Y
symbol or blank	LVALVALVALVA
RPC-M12D-4MS-xxxxxSH-M12D-4FS-TPE, where xxxxx	Ethernet Cable
represent the wire length, and x can be any number or	
symbol or blank	
RPC-M12D-4MS-xxxxxSH-RJ45-4MS-TPE, where xxxxx	Ethernet Cable
represent the wire length, and x can be any number or	
symbol or blank	. VII. VII. VII. VII. V
RPC-M12X-8FS-xxxxxSH-RJ45-8MS-TPE, where xxxxx	Ethernet Cable
represent the wire length, and x can be any number or	
symbol or blank	
RPC-M12X-8MS-xxxxxSH-RJ45-8MS-TPE, where xxxxx	Ethernet Cable
represent the wire length, and x can be any number or	
symbol or blank	
RPC-RJ45-8MS-xxxxxSH-RJ45-8MS-TPE, where xxxxx	Ethernet Cable
represent the wire length, and x can be any number or	LACLACIACIA
symbol or blank	





**Certificate Number** UL-CA-2128154-0 Report Reference

E507163-20210706

Date 9-Jul-2021

TYCO ELECTRONICS (SHANGHAI) CO LTD Issued to:

Sections F. G and H. Level 1. Building 15

No. 999, Yinglun Road, China (Shanghai) Pilot Free Trade

Zone SHANGHAL China 200131

This is to certify that representative samples of DUXR7 - Communications-, Audio/Video-, Data- and Other

Signaling-circuit Accessories Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

CAN/CSA-C22.2 NO. 182.4-M90, 1st Ed., Issue Date: Standard(s) for Safety:

1990-05-01, Reaffirmed 2020, CSA C22.2 NO. 233-17, 3rd

Ed., Issue Date: 2017-05-01


Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





Certificate Number UL-CA-2128154-0
Report Reference E507163-20210706

**Date** 9-Jul-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
RPC-M12D-4FS-xxxxxSH-RJ45-4MS-TPE, where xxxx	Ethernet Cable
represent the wire length, and x can be any number or	I. Y II. Y II. Y II. Y II. Y
symbol or blank	LVALVALVALVALV
RPC-M12D-4MS-xxxxxSH-M12D-4FS-TPE, where xxxx	Ethernet Cable
represent the wire length, and x can be any number or	
symbol or blank	
RPC-M12D-4MS-xxxxxSH-RJ45-4MS-TPE, where xxxx	Ethernet Cable
represent the wire length, and x can be any number or	
symbol or blank	I. VII. VII. VII. VII. V
RPC-M12X-8FS-xxxxxSH-RJ45-8MS-TPE, where xxxx	Ethernet Cable
represent the wire length, and x can be any number or	$\times$ $\times$ $\times$ $\times$ $\times$
symbol or blank	
RPC-M12X-8MS-xxxxxxSH-RJ45-8MS-TPE, where xxxx	Ethernet Cable
represent the wire length, and x can be any number or	
symbol or blank	
RPC-RJ45-8MS-xxxxxSH-RJ45-8MS-TPE, where xxxx	Ethernet Cable
represent the wire length, and x can be any number or	「L八~L八~L八~L八~L八)
symbol or blank	



