

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L66375-25-92307102-4  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

**Issued to:** Tyco Electronics Austria GmbH  
Schrackstrasse 1  
Waidhofen an der Thaya 3830  
Austria

**This is to certify that  
representative samples of**

WJFX2 - Photocontrols, Plug-in, Locking Type - Component  
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**Standard(s) for Safety:** UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date: 2020-07-29

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L66375-25-92307102-4  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
2213795, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, preceded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213831, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (80 MM), preceded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213837, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (40 mm), preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213858, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2328823, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2329013, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2341474, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343403, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343404, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343405, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2363638, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L66375-25-92307102-4  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

2396687, Component - Photocontrol LUMAWISE  
Endurance S Connector Platform, Sealing Cap,  
preceded by prefix 0 through 9 followed by suffix 0  
through 9.

Photocontrols, Plug-in, Locking Type

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L66375-45-92307102-4  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

**Issued to:** Tyco Electronics Austria GmbH  
Schrackstrasse 1  
Waidhofen an der Thaya 3830  
Austria

**This is to certify that  
representative samples of**

WJFX8 - Photocontrols, Plug-in, Locking Type Certified for  
Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the  
component requirements in the Standard(s) indicated on  
this Certificate. UL Recognized components are incomplete  
in certain constructional features or restricted in  
performance capabilities and are intended for installation in  
complete equipment submitted for investigation to UL LLC.

**Standard(s) for Safety:** CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-01

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L66375-45-92307102-4  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
2213795, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, preceded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213831, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (80 MM), preceded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213837, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (40 mm), preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213858, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2328823, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2329013, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2341474, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343403, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343404, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343405, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2363638, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type

  
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L66375-45-92307102-4  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

2396687, Component - Photocontrol LUMAWISE  
Endurance S Connector Platform, Sealing Cap,  
preceded by prefix 0 through 9 followed by suffix 0  
through 9.

Photocontrols, Plug-in, Locking Type

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L66375-26-92307102-3  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

**Issued to:** Tyco Electronics Austria GmbH  
Schrackstrasse 1  
Waidhofen an der Thaya 3830  
Austria

**This is to certify that  
representative samples of**

WJFX2 - Photocontrols, Plug-in, Locking Type - Component  
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**Standard(s) for Safety:** UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date: 2020-07-29

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L66375-26-92307102-3  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
2213795, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, preceded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213831, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (80 MM), preceded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213837, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (40 mm), preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213858, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2328823, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2329013, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2341474, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343403, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343404, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343405, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2363638, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type

  
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-L66375-26-92307102-3  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

2396687, Component - Photocontrol LUMAWISE  
Endurance S Connector Platform, Sealing Cap,  
preceded by prefix 0 through 9 followed by suffix 0  
through 9.

Photocontrols, Plug-in, Locking Type

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L66375-46-92307102-3  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

**Issued to:** Tyco Electronics Austria GmbH  
Schrackstrasse 1  
Waidhofen an der Thaya 3830  
Austria

**This is to certify that  
representative samples of**

WJFX8 - Photocontrols, Plug-in, Locking Type Certified for  
Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the  
component requirements in the Standard(s) indicated on  
this Certificate. UL Recognized components are incomplete  
in certain constructional features or restricted in  
performance capabilities and are intended for installation in  
complete equipment submitted for investigation to UL LLC.

**Standard(s) for Safety:** CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-01

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L66375-46-92307102-3  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
2213795, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, preceded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213831, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (80 MM), preceded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213837, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (40 mm), preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213858, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2328823, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2329013, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2341474, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343403, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343404, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343405, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2363638, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, preceded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type

  
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-L66375-46-92307102-3  
**Report Reference** E66375-20170329  
**Date** 29-Aug-2023

2396687, Component - Photocontrol LUMAWISE  
Endurance S Connector Platform, Sealing Cap,  
preceded by prefix 0 through 9 followed by suffix 0  
through 9.

Photocontrols, Plug-in, Locking Type

*Deborah Jennings-Conner*

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

