

Certificate of Compliance

Certificate Number:

UL-US-L66375-25-92307102-6

Report Reference:

E66375-20170329

Issue Date:

2024-07-05

Issued to:

TE CONNECTIVITY AUSTRIA GMBH Schrackstrase 1 Waidhofen an der Thaya 3830 Austria

This certificate confirms that representative samples of:

WJFX2 - Photocontrols, Plug-in, Locking Type - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date: 2020-07-29

Additional Information:

See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



UL Mark Certification Program Manager



Certificate number UL-US-L66375-25-92307102-6

Report reference E66375-20170329

Date 2024-07-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
2213795, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213831, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (80 MM), proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213837, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (40 mm), proceeded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213858, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2328823, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2329013, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2341474, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343403, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343404, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343405, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2363638, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle,	Photocontrols, Plug-in, Locking Type

David Piecuch

UL Mark Certification Program Manager



Certificate number UL-US-L66375-25-92307102-6

Report reference E66375-20170329

Date 2024-07-05

proceeded by prefix 0 through 9 and followed by suffix 0 through 9	
2396687, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
Lumawise Endurance S Connector Platform, 2452802, followed by -1 or -2.	Photocontrols, Plug-in, Locking Type

David Piecuch

UL Mark Certification Program Manager





Certificate of Compliance

Certificate Number:

UL-US-L66375-26-92307102-4

Report Reference:

E66375-20170329

Issue Date:

2024-07-05

Issued to:

TE CONNECTIVITY AUSTRIA GMBH
Schrackstrase 1 Waidhofen an der Thaya 3830
Austria

This certificate confirms that representative samples of:

WJFX2 - Photocontrols, Plug-in, Locking Type - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date: 2020-07-29

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



UL Mark Certification Program Manager



Certificate number UL-US-L66375-26-92307102-4

Report reference E66375-20170329


> **Date** 2024-07-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
2213795, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213831, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (80 MM), proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213837, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (40 mm), proceeded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213858, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2328823, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2329013, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2341474, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343403, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343404, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343405, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2363638, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle,	Photocontrols, Plug-in, Locking Type



UL Mark Certification Program Manager



Certificate number UL-US-L66375-26-92307102-4

Report reference E66375-20170329

Date 2024-07-05

ntrols, Plug-in, Locking Type
3 71
stade Diversion Leading True
ntrols, Plug-in, Locking Type
)

David Piecuch

UL Mark Certification Program Manager





Certificate of Compliance

Certificate Number:

UL-CA-L66375-45-92307102-6

Report Reference:

E66375-20170329

Issue Date:

2024-07-05

Issued to:

TE CONNECTIVITY AUSTRIA GMBH
Schrackstrase 1 Waidhofen an der Thaya 3830
Austria

This certificate confirms that representative samples of:

WJFX8 - Photocontrols, Plug-in, Locking Type Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-01

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



UL Mark Certification Program Manager



Certificate number UL-CA-L66375-45-92307102-6

Report reference E66375-20170329

Date 2024-07-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
2213795, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213831, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (80 MM), proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213837, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (40 mm), proceeded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213858, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2328823, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2329013, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2341474, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343403, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343404, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343405, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2363638, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle,	Photocontrols, Plug-in, Locking Type

David Piecuch

UL Mark Certification Program Manager



Certificate number UL-CA-L66375-45-92307102-6

Report reference E66375-20170329

Date 2024-07-05

proceeded by prefix 0 through 9 and followed by suffix 0 through 9	
2396687, Component - Photocontrol LUMAWISE	Photocontrols, Plug-in, Locking Type
Endurance S Connector Platform, Sealing Cap, proceeded	1 Hotocontrols, 1 lag-iii, Lockiiig Type
by prefix 0 through 9 followed by suffix 0 through 9.	
Lumawise Endurance S Connector Platform, 2452802,	Photocontrols, Plug-in, Locking Type
followed by -1 or -2.	

David Piecuch

UL Mark Certification Program Manager





Certificate of Compliance

Certificate Number:

UL-CA-L66375-46-92307102-4

Report Reference:

E66375-20170329

Issue Date:

2024-07-05

Issued to:

TE CONNECTIVITY AUSTRIA GMBH Schrackstrase 1 Waidhofen an der Thaya 3830 Austria

This certificate confirms that representative samples of:

WJFX8 - Photocontrols, Plug-in, Locking Type Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-01

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



UL Mark Certification Program Manager



Certificate number UL-CA-L66375-46-92307102-4

Report reference E66375-20170329

Date 2024-07-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
2213795, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Sealing Cap, proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213831, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (80 MM), proceeded by prefix 0 through 9 followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213837, Component - Photocontrol LUMAWISE Endurance S Connector Platform, Module Base (40 mm), proceeded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2213858, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2328823, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2329013, preceded by prefix 0 through 9 and followed by suffix 0 through 9.	Photocontrols, Plug-in, Locking Type
2341474, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343403, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343404, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2343405, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle, proceeded by prefix 0 through 9 and followed by suffix 0 through 9	Photocontrols, Plug-in, Locking Type
2363638, Component - Photocontrol LUMAWISE Endurance S Connector Platform, SR Receptacle,	Photocontrols, Plug-in, Locking Type

David Piecuch

UL Mark Certification Program Manager



Certificate number UL-CA-L66375-46-92307102-4

Report reference E66375-20170329

Date 2024-07-05

proceeded by prefix 0 through 9 and followed by suffix 0	
through 9	
2396687, Component - Photocontrol LUMAWISE	Photocontrols, Plug-in, Locking Type
Endurance S Connector Platform, Sealing Cap, proceeded	
by prefix 0 through 9 followed by suffix 0 through 9.	
Lumawise Endurance S Connector Platform, 2452802,	Photocontrols, Plug-in, Locking Type
followed by -1 or -2.	

David Piecuch

UL Mark Certification Program Manager



