





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	3	ADDED COLOR TABLE	18MAR13	JR DMK



VISUAL IDENTIFICATION DISTINCTION

1 ACCEPTS RECEPTACLE CONTACTS 1217378(#18-#22 AWG SINGLE WIRE), 1217094(#18-#14 AWG SINGLE WIRE) AND 1217095 (TWO #18'S OR TWO #16'S OR A #16 + #18 COMBINATION).

2 TAB SHOULDER SLOTS OPTIONAL ON BOTH SIDES OF DUMMY CIRCUIT.

③ GRIPPERS MAYBE BLOCKED AS SHOWN OR SOLID CONSTRUCTION

④ RELIEF SLOTS ARE OPTIONAL FOR BLOCKED CIRCUITS

⑤ PRELIMINARY - NOT FOR PRODUCTION

2,3	BLUE	NYLON 66	⑤ 1969433-2
2,3	BLUE	NYLON 6/66	⑤ 1969433-1
BLOCKED CIRCUIT	COLOR	MATERIAL	PART NO.

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROVALS		TE Connectivity	
mm [INCHES]		0 PLC ± -		DWN JR RUTH 22MAR11	NAME	HOUSING, RECEPT, POSITIVE-LOCK, MKIII, 6.35 [.250] SERIES, 5 POSITION / 3 CIRCUIT	
		1 PLC ± -		CHK MK DHANESH 22MAR11	PRODUCT SPEC	SIZE	CAGE CODE
		2 PLC ± 0.25 [.010]		APVD JEFF HUMMEL 22MAR11	APPLICATION SPEC	A2	00779
		3 PLC ± -			114-2074	SCALE	DRAWING NO
		4 PLC ± -			WEIGHT -	4:1	C=1969433
		ANGLES ± -				SHEET	1 OF 1
MATERIAL SEE TABLE	FINISH SEE TABLE					REV	3