










REVISIONS					
P	LTN	DESCRIPTION	DATE	OWN	APVD
B		REVISED (ECR-10-007940)	13.APR.'10	WY	HG
C		REVISED (ECR-12-009225)	09.JUL.'12	JM	HG
D		REVISED (ECR-12-013528)	22.OCT.'12	JM	HG
D1		REVISED (ECR-19-014500)	17SEP2019	YJ	YJ







ISO VIEW (SCALE 1:1)



3 <TABLE 1>

TYPE	P/N	WIRE SIZE	MATERIAL/FINISH
.090	0-1897753-1	0.22	COPPER ALLOY PRE-TIN
	0-1743654-1	0.3-0.5	
	0-1743655-1	0.75-1.25	
	0-1743656-1	1.5-2.0	
.250	0-1897598-1	2.5	PHOS. BRONZE PRE-TIN
	0-927827-2	2.0-2.7	
	0-927833-2	2.7-3.7	
	0-927824-2	3.3-4.5	

NOTE
 1. GENERAL TOLERANCE: 0<X<50mm ±0.3, ±3°
 50mm<X ±0.5, ±3°
 2. CONDITION OF DELIVERY
 DBL IN 1ST LOCKING POSITION
 LEVER IN 2ND LOCKING POSITION
 3. APPLIED REC. CONTACT P/N : TABLE 1

DIRECTION OF LEVER ROTATION	DIMENSION OF KEYING SLOT OF PLUG
TYPE - A 	0-2005044-2 (BLACK) 
TYPE - B 	5-2005044-6 (RED) 

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED	OWN: JM JEON	CHK: JW JUNG	APVD: HG CHO	PRODUCT SPEC	APPLICATION SPEC	WEIGHT	CUSTOMER DRAWING
mm	0 PLC ±	APVD: JM JEON	CHK: JW JUNG	APVD: HG CHO	PRODUCT SPEC	APPLICATION SPEC	WEIGHT	CUSTOMER DRAWING
	1 PLC ±	NAME: 090/250 HYB LIF 39P PLUG ASSY		SIZE: A1		CAGE CODE: 00779	DRAWING NO: C=2005044	RESTRICTED TO: -
	2 PLC ±	SCALE: 1:1		SHEET: 1		OF: 1		REV: D1
	3 PLC ±	SCALE: 1:1		SHEET: 1		OF: 1		REV: D1
	4 PLC ±	SCALE: 1:1		SHEET: 1		OF: 1		REV: D1
	5 PLC ±	SCALE: 1:1		SHEET: 1		OF: 1		REV: D1
	6 PLC ±	SCALE: 1:1		SHEET: 1		OF: 1		REV: D1
	ANGLES	SCALE: 1:1		SHEET: 1		OF: 1		REV: D1
	FINISH	SCALE: 1:1		SHEET: 1		OF: 1		REV: D1