


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
	A	OFFICIAL VERSION RELEASE	25DEC2016	F.Y X.X



ITEM	COMPONENTS	MATERIAL	Q'TY	PLATING
10	FLAT WASHER	STEEL	1	ZINC Plated
9	ELASTIC WASHER	STEEL	1	ZINC Plated
8	NUT	STEEL	1	ZINC Plated
7	LOCK TERMINAL	STEEL	1	ZINC Plated
6	GROUND TERINAL	COPPER ALLOY	1	Tin Plated
5	MOUNTING SCREW	STEEL	1	ZINC Plated
4	TERMINAL SCREW	STEEL	2	ZINC Plated
3	CAGE CLAMP	STEEL	2	ZINC Plated
2	TERMINAL	COPPER ALLOY	1	Tin Plated
1	HOUSING	THERMOPLASTIC	2	

DTC 4-G	2271688-1	GREEN-YELLOW
TE SERIES No.	PART NUMBER	COLOR

**NOTES:**

1. Material: See table
2. Rated current & voltage :600V(UL),
3. Impulse withstand voltage: 8KV
4. Terminal Screw Size & torque:M3, 5-6.2lbs-in(0.56-0.7Nm)
5. Mounting screw size & torque:M3, 4.4-5.6lbs-in(0.5-0.64Nm)
6. Wire strip length: 8-10mm
7. Suitable wire size : (UL)26 - 10 AWG, (IEC)0.14-4mm<sup>2</sup>
8. Requirement for environmental substance must be compliance with ROHS and REACH.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN FENCER YU 25DEC2016	<b>STE</b> TE Connectivity	
DIMENSIONS: mm		CHK KOBBOY ZHAO 25DEC2016		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD XIANG XU 25DEC2016	NAME 4mm <sup>2</sup> WIRE 1 IN 1 OUT SCREW TYPE TERMINAL BLOCK WITH GROUND FUNCTION	
0 PLC ± 0.50 1 PLC ± 0.40 2 PLC ± 0.30 3 PLC ± - 4 PLC ± - ANGLES ± 3'		PRODUCT SPEC 108-137173	RESTRICTED TO	
MATERIAL		APPLICATION SPEC 114-137172	SIZE A3	CAGE CODE 00779
FINISH		WEIGHT 20 g	DRAWING NO C-2271688	REV A
CUSTOMER DRAWING			SCALE 1:1	SHEET 1 OF 1