









CODINGS

REVISIONS				
P	LTN	DESCRIPTION	DATE	OWN
		SEE SHEET 1		

D	2-2310922-4	A	1	CPA	PA66-GF V0	(141.6)	RED SIM RAL 3000	8
			1	ADAPTER	PA66-GF V0		DUSTY GRAY SIM RAL 7037	7
			1	LEVER, 2POS, 90 DEG	PA66-GF HB		WHITE SIM RAL 9010 (9001)	6
			1	2POS, MCON-1.2, REC HSG, 90 DEG, Assy	-		-	5
			1	RADIAL SEAL	SILICONE RUBBER		WHITE SIM RAL 9010	4
			2	ASSY: ISULATION INSERT - SHIELDING			-	3
			2	ASSY: ISULATION INSERT - SHIELDING			-	2
			1	2POS, 8MM HV, REC HSG, 90 DEG, SEALED	PA66-GF HB		ORANGE SIM RAL 2003	1
C	2-2310922-3	A	1	CPA	PA66-GF V0	(141.6)	RED SIM RAL 3000	8
			1	ADAPTER	PA66-GF V0		DUSTY GRAY SIM RAL 7037	7
			1	LEVER, 2POS, 90 DEG	PA66-GF HB		BLACK SIM RAL 9005 (9011)	6
			1	2POS, MCON-1.2, REC HSG, 90 DEG, Assy	-		-	5
			1	RADIAL SEAL	SILICONE RUBBER		WHITE SIM RAL 9010	4
			2	ASSY: ISULATION INSERT - SHIELDING			-	3
			2	ASSY: ISULATION INSERT - SHIELDING			-	2
			1	2POS, 8MM HV, REC HSG, 90 DEG, SEALED	PA66-GF HB		ORANGE SIM RAL 2003	1
B	2-2310922-2	B	1	CPA	PA66-GF V0	(141.6)	RED SIM RAL 3000	8
			1	ADAPTER	PA66-GF V0		DUSTY GRAY SIM RAL 7037	7
			1	LEVER, 2POS, 90 DEG	PA66-GF HB		WHITE SIM RAL 9010 (9001)	6
			1	2POS, MCON-1.2, REC HSG, 90 DEG, Assy	-		-	5
			1	RADIAL SEAL	SILICONE RUBBER		WHITE SIM RAL 9010	4
			2	ASSY: ISULATION INSERT - SHIELDING			-	3
			2	ASSY: ISULATION INSERT - SHIELDING			-	2
			1	2POS, 8MM HV, REC HSG, 90 DEG, SEALED	PA66-GF HB		ORANGE SIM RAL 2003	1
A	2-2310922-1	B	1	CPA	PA66-GF V0	(141.6)	RED SIM RAL 3000	8
			1	ADAPTER	PA66-GF V0		DUSTY GRAY SIM RAL 7037	7
			1	LEVER, 2POS, 90 DEG	PA66-GF HB		BLACK SIM RAL 9005 (9011)	6
			1	2POS, MCON-1.2, REC HSG, 90 DEG, Assy	-		-	5
			1	RADIAL SEAL	SILICONE RUBBER		WHITE SIM RAL 9010	4
			2	ASSY: ISULATION INSERT - SHIELDING			-	3
			2	ASSY: ISULATION INSERT - SHIELDING			-	2
			1	2POS, 8MM HV, REC HSG, 90 DEG, SEALED	PA66-GF HB		ORANGE SIM RAL 2003	1
COD.	TE ASSY-NO.	ASSY-REV	QTY	DESCRIPTION	MATERIAL	WEIGHT (g)	SURFACE COLOUR	ITEM



2-1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.				DRAWN J.L.L.	12 JUL 2017	STE		TE Connectivity	
DIMENSIONS: (mm)				CHECKED S.Y. WANG	24 JUL 2017	NAME		2POS, 8mm HV, REC HSG, 90 DEG. ASSY	
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APPROVED S.Y. WANG	02 AUG 2017	SEALING		SEALED	
1. P.L.C. ±0.5				PRODUCT SPEC		SIZE		A0	
2. P.L.C. ±0.01				REFER TO 108-32233		CASE CODE		00779	
3. P.L.C. ±0.01				APPLICATION SPEC		DRAWING NO		C=2310922	
4. P.L.C. ±0.005				REFER TO 114-32213		RESTRICTED TO		REV B5	
5. P.L.C. ±0.005				CUSTOMER DRAWING		SCALE		1:1	
6. P.L.C. ±0.005				SHEET		3		OF 5	
7. P.L.C. ±0.005				FINISH SPEC		11		11	
8. P.L.C. ±0.005				CUSTOMER DRAWING		11		11	

