



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	ECO-20-013466	30SEP2020	NN	DZ



1. ALL MATERIALS, COMPONENTS AND PROCESS SHALL COMPLY WITH TEC-138-702. (CONTAINS NO BANNED OR RESTICTED SUBSTANCES).
2. NO REACH SvHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SvHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702.
3. ASSEMBLY TESTED FOR CONTINUITY, OPENS, SHORTS, AND SIGNAL INTEGRITY.
4. CABLE BEND RADIUS 5X BUNDLED CABLE OD.
5. SEE SHEETS 2 AND 3 FOR WIRING SCHEMATIC.
6. CONNECTORS ARE GEN-Z COMPATIBLE.

7. LABEL INFORMATION SHOWN BELOW:



8. CABLE CONNECTOR MATES WITH TE SLIVER RECEPTACLE P/N 2332139-X, OR 2332205-X.

500	1000 +10/-0	2361358-2
250	500 +10/-0	2361358-1
"M"	"L"	TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 30AUG2019	 TE Connectivity	
		CHK R. HENRY 30AUG2019		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME	
mm			SLIVER 2.0 4C 33 AWG LATERAL TO LATERAL	
		0 PLC ±	PRODUCT SPEC	
		1 PLC ±	APPLICATION SPEC	
		2 PLC ±	SIZE	
		3 PLC ±	CAGE CODE	
		4 PLC ±	DRAWING NO	
		ANGLES ±	RESTRICTED TO	
MATERIAL		FINISH	A100779C=2361358	
SEE BOM		-	CUSTOMER DRAWING	
		-	SCALE 3:2 SHEET 1 OF 3 REV B	

