





P	LTR	DESCRIPTION	DATE	DWN	APVD
A		INITIAL RELEASED	10JAN2024	AK	HT



- 1 HOUSING, INSERTS AND CONTACT OVERMOLDS: LCP, BLACK. CONTACTS: COPPER ALLOY. SOLDER WASHERS: NICKEL SILVER.
- 2 CONTACTS: 0.76µm GOLD ON MATING INTERFACE. TIN PLATED ON PCB TAILS.
- 3. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.57 MIN
DOUBLE SIDED = 2.2 MIN
- 4 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 5 PART NUMBER AND DATE CODE MARKED IN APPROXIMATE AREA SHOWN.
- 6 RECOMMENDED COMPONENT, TRACES AND SOLDER MASK KEEP OUT AREA. SURFACE SUITABLE FOR SOLDER.



SCALE 3:1

GLUE PAD	2394949-2
METAL PINS	2394949-1
HOLD DOWNS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	02AUG2021	STE TE Connectivity							
DIMENSIONS: mm		CHK	02AUG2021								
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	02AUG2021								
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		NAME	RECEPTACLE CONNECTOR, 76 P QSFP 112 STACKED								
MATERIAL	1	2	114-78076/78077	SIZE	A2	CAGE CODE	00779	DRAWING NO	C-2394949	RESTRICTED TO	-
CUSTOMER DRAWING		WEIGHT 8.9g		SCALE 4:1		SHEET 1 OF 2		REV A			

