
	REVISION										
REV			DE	DATE	APPROVED						
Α	INITIAL	RELEASE	OF	CD	PER	ECO-19-018733	12/10/2019	I.MYONG			



P	As Supplie	d	As Recovered								
	Inside Diameter 'D' Minimum		Inside Diameter 'd' Maximum		Wall Thickness 'W'						
Size					Minimum		Maximum		Nominal		
	in.	mm.	in.	mm.	in.	mm.	in.	mm.	in.	mm.	
1/8	.125	3.18	.062	1.57	.010	0.25	.016	0.41	.012	0.30	
3/16	.187	4.75	.093	2.36	.011	0.28	.018	0.46	.014	0.36	
1/4	.250	6.35	.125	3.18	.013	0.33	.020	0.51	.016	0.41	
3/8	.375	9.53	.187	4.75	.016	0.41	.023	0.58	.019	0.48	
1/2	.500	12.70	.250	6.35	.016	0.41	.023	0.58	.019	0.48	
5/8	.625	15.88	.313	7.95	.019	0.48	.026	0.66	.022	0.56	
3/4	.750	19.05	.375	9.53	.024	0.61	.031	0.79	.027	0.69	
1	1.000	25.40	.500	12.70	.028	0.71	.035	0.89	.031	0.79	
1-1/4	1.250	31.75	.625	15.88	.030	0.76	.037	0.94	.033	0.84	
1-1/2	1.500	38.10	.750	19.05	.034	0.86	.041	1.04	.037	0.94	
2	2.000	50.80	1.000	25.40	.037	0.94	.044	1.12	.040	1.02	

NOTES:

- 1. THIS PRODUCT IS DESIGNED FOR A WIDE RANGE OF APPLICATIONS, AND MEETS THE PERFORMANCE REQUIREMENTS OF TE SPECIFICATION RT-790, TYPE I.
- 2. PACKAGED AND SUPPLIED ON A SPOOL AND LABELED WITH (example: RT-790- $\frac{3}{8}$ -0). PART NUMBERING SYSTEM: RT-790= PART NUMBER, $\frac{3}{8}$ = ORDER SIZE, -0= BLACK (STANDARD COLOR).
- 3. ALWAYS ORDER THE LARGEST SIZE THAT WILL FIT SNUGLY OVER THE COMPONENT TO BE COVERED.
- 4 FOR MATERIAL AND FINISH INFORMATION, REFER TO RT-790, TYPE I, SPECIFICATION. FOR SPECIAL ORDER SIZES, CONTACT TE CONNECTIVITY.

 Raychem Harness & Components CUSTOMER DRAWING

		ARE IN SHOWN IN (PARE	NTHESES).						
	.000 ± DECIMALS: .00 ± .0 ±	0.00 ANGLES	6: ± 0° 00°			TE C	Connectivi	ty	
	RESERVES THIS DRA	CTIVITY CORPO THE RIGHT TO AWING AT ANY DULD EVALUAT	AMEND TIME.	TITLE: RT-790 TUBING, TYPE I, HEAT SHRINKABLE NBC CONTAMINATION SURVIVABLE, HIGH-TEMP					
		Y OF THE PR IEIR APPLICAT		RT-790					
d.	DRAWN: 25Nov2019 G.ROSITANO	APPROVED: 06Dec2019 I.MYONG	CAGE CODE 06090	CAD FILE: RT-790_cd	SIZE: A	SCALE:	THIRD ANGLE PROJ.	SHEET: 1_OF_1	

© 2019 TE Connectivity Corporation. All Rights reserved.