

# **Engineering Product Design**

**Product Construction** 

3 Conductor Cable Jacketed Controlled Customer Copy B.W.B. GERMANY **Product Description** 

Rev

VG 95218 T027 B036

2

Designer
Paul Cleary


**Date** 25/11/2019

Product Manager
Mark Johnstone

**Date** 25/11/2019

### **Component Identification**

#### **Cross-Section**



_								
•	$\boldsymbol{\cap}$	m	n	$\boldsymbol{\cap}$	n	Δ	n	te
C	u		v	u	ш	ᆫ		LO

ID	Туре	Quantity	Part Description (Components refer to issue in effect at date of issue of this EPD)	Part Description
Α	Wire	3	VG-95218-T020-A005	VG-95218-T020-A0

### **Component Identification**

Key	Wire/Core Colour(s)	Wire/Core Number(s)	Jacket/Wrap Colour(s)	Jacket/Wrap Number
A1	9	1		
A2	9	2		
A3	9	3		

#### **Cabling**

Layer No	Quantity	Description	Nominal O.D. mm
Layer 1	3	VG-95218-T020-A005	
	3	Fillers	3.6



# **Engineering Product Design**

Product Construction
3 Conductor Cable
Jacketed

Controlled Customer Copy
B.W.B.
GERMANY

Product Description
VG 95218 T027 B036
2

Outer		
Layer Type	Description	Nominal O.D. mm
Jacket: Extrusion 1	FDR 25 - Black	5.7 ±0.3
	Marked 'Raychem - VG 95218 T027 B036 - K1010 - VDE Reg.Nr. 9424'	Min Wall - 0.75mm
Cable Characteristics		
Calculated Maximum Weight	56 (kg/km)	
This cable is RoHS Compliant		-

#### **Specifications**

VG 95218 Part 27 Type B

#### **Notes**

Internal reference - EPD42535A

## Lengths

Unless otherwise specified on your order this cable may be supplied in the following maximum number of continuous lengths with no single length less than 25m:

Order Quantity (m) + One other length 100