TE Internal #: 1544275-1

Automotive Terminals, Receptacle, Mating Tab Width 6.3 mm [.25 in], Tab Thickness .8 mm [.031 in], 16-12 AWG Wire Size, 1.5-3

mm² Wire Size

View on TE.com >



Terminals & Splices > Automotive Terminals



Terminal Type: Receptacle

Mating Tab Width: 6.3 mm [.25 in]
Mating Tab Thickness: .8 mm [.031 in]

Wire Size: 1.5 – 3 mm²

## **Features**

Sealable

## **Product Type Features**

| Primary Locking Feature | Locking Lance    |
|-------------------------|------------------|
| Contact Features        |                  |
| Contact Size            | 6.35mm           |
| Contact Fabrication     | Stamped & Formed |
| Crimp Type              | F-Crimp          |
| Terminal Type           | Receptacle       |

No

| Mating Tab Width             | 6.3 mm[.25 in] |
|------------------------------|----------------|
| Martin of Tale This loss and | 0[ 021 :]      |

Mating Tab Thickness .8 mm[.031 in]

Interface Plating Tin (Sn)

## **Termination Features**

| Termination Method to Wire & Cable | Crimp |
|------------------------------------|-------|
| Product Terminates To              | Wire  |

### **Dimensions**

| Wire Size  | 1.5 – 3 mm²      |
|------------|------------------|
| Tab Length | 20.5 mm[.807 in] |

## **Usage Conditions**

| Insulation Option | Uninsulated |
|-------------------|-------------|
|                   |             |

## **Packaging Features**



| Packaging Quantity | 4000 |
|--------------------|------|
| Packaging Method   | Reel |

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free                                 |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





# Customers Also Bought

√ For support call+1 800 522 6752

11/24/2023 04:23AM | Page 2

11/24/2023 04:23AM | Page 2

√ For support call+1 800 522 6752

11/24/2023 04:23AM | Page 2

√ For support call+1 800 522 6752

11/24/2023 04:23AM | Page 2

√ For support call+1 800 522 6752

11/24/2023 04:23AM | Page 2

√ For support call+1 800 522 6752

11/24/2023 04:23AM | Page 2

√ For support call+1 800 522 6752

11/24/2023 04:23AM | Page 2

√ For support call+1 800 522 6752

11/24/2023 04:23AM | Page 2

√ For support call+1 800 522 6752

↑ For support call+1 800

















## **Documents**

## **Product Drawings**

CLIP 6,35 MM DOPE

English

## **CAD Files**

Customer View Model

ENG\_CVM\_1544275-1\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_1544275-1\_C.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_1544275-1\_C.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.