



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name S1184 Adhesive – Part B
Other Means of Identification None
Product type Mixture

Recommended use and restrictions

Identified Use(s) Adhesive. Epoxy Resin. Hardener
Uses Advised Against None known.

Initial Supplier Identifier

Telephone Tyco Electronics UK Ltd
Faraday Road, Dorcan, Swindon, Wiltshire, SN3 5HH, United Kingdom
+44 (0) 1793 52 81 71 (Head Office)
Monday - Friday 08:00 - 17:00 (GMT)
Fax +44 1793 57 2516
E-Mail (competent person) msdsmaterialsuk@te.com

Emergency telephone number

Emergency Phone No. +44 1793 528171 GMT (Monday to Friday 08:00 - 17:00)
Languages spoken English

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

Flammable Liquid, Category 4
Acute toxicity, Category 4 - Oral
Skin corrosion/irritation, Category 1
Skin Sensitisation, Category 1
Eye damage, category 1
Specific target organ toxicity — repeated exposure, Category 2

Label elements

Product Name S1184 Adhesive – Part B
Contains: 3,6,9,12-tetraazatetradecamethylenediamine; Triethylenetetramine; Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine; Fatty acids, soya, reaction products with polyethylenepolyamines, Xylene

Hazard Pictogram(s)**Optional Hazard Pictogram(s)**

Signal Word(s)
Hazard Statement(s)

Danger
Combustible liquid.
Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

Precautionary Statement(s)

Wash hands and exposed skin thoroughly after handling.
Do not breathe mist/vapours/spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

Disposal should be in accordance with local, state or national legislation.

Not applicable.

Supplemental information

Other hazards

Environmental hazards

Hazardous to the aquatic environment, Acute, Category 1. Hazardous to the aquatic environment, Chronic, Category 1; Toxic to aquatic life with long lasting effects. Avoid release to the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not applicable

Mixtures Substances in preparations / mixtures.

Chemical Name	CAS No.	Concentration (%WW)	Common name(s), synonym(s) of the substance	Hazard classification
Silver	7440-22-4	60 - 80*	Ag Granalien, Fine silver, Silver bullion, Silver granules	Skin corrosion/irritation, Category 2 Skin Sensitisation, Category 1 Eye Irritation, Category 2
Fatty acids, soya, reaction products with polyethylenepolyamines	91051-56-8	10 - 30*	-	Acute toxicity, Category 4 - Oral Skin corrosion/irritation, Category 2 Skin Sensitisation, Category 1 Eye Irritation, Category 2
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1	5 - 10*	C18 unsaturated fatty acid dimer polymer with TOFA and TETA; FATTY ACID-POLYETHYLAMINE POLYMER	Skin corrosion/irritation, Category 2 Eye damage, category 1 Skin Sensitisation, Category 1A
3,6,9,12-tetraazatetradecamethylenediamine	4067-16-7	3 - 7*	3,6,9,12-tetra-azatetradecamethylenediamine; N,N'-bis[2-(2-aminoethylamino)ethyl]ethane-1,2-diamine	Acute toxicity, Category 4 - Oral Acute toxicity, Category 4 - Dermal Skin corrosion/irritation, Category 1A Eye damage, category 1 Skin Sensitisation, Category 1
Triethylenetetramine	112-24-3	0.5 - 1.5*	3,6-diazaoctanethylenediamin; Trientine; 1,2 Ethanediamine, N,N'-Bis(2-aminoethyl)-	Acute toxicity, Category 4 - Dermal Skin corrosion/irritation, Category 1B Skin Sensitisation, Category 1



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

Xylene	1330-20-7	0.5 - 1.5*	1,2 dimethylbenzene; 1,2-dimethylbenzene, 1,3- dimethylbenzene, 1,4- dimethylbenzene; Dimethylbenzene	Flammable Liquid, Category 3 Acute toxicity, Category 4 - Dermal Acute toxicity, Category 4 - Inhalation Skin corrosion/irritation, Category 2 Eye Irritation, Category 2 Aspiration hazard, Category 1 Specific target organ toxicity — single exposure, Category 3 (Respiratory Tract) Specific target organ toxicity — repeated exposure, Category 2
--------	-----------	------------	---	---

*Prescribed Concentration Ranges used for trade secret purposes (Canada Gazette, Part II, Vol. 152, No. 8)

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Self-protection of the first aider

Inhalation

No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Remove contaminated clothing immediately. If unconscious, place in recovery position and get medical attention immediately. Apply artificial respiration if necessary. Check the vital functions. Keep cool.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

Skin Contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Obtain immediate medical attention.

Eye Contact

IF IN EYES: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Obtain immediate medical attention.

Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No antidotes known.

Notes to a physician:

IF IN EYES: Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing media

Combustible. Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Water spray, foam, dry powder or CO₂.

Unsuitable extinguishing media

Do not use water jet. Direct water jet may spread the fire.

Special hazards arising from the substance or mixture

May give off noxious and toxic fumes in a fire. Combustion products: Carbon monoxide, Carbon dioxide, Nitrogen oxides

Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Chemical protection suit. Keep containers cool by spraying with water if exposed to fire. Evacuate if necessary. Do not allow run-off from fire fighting to enter drains or water courses.



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Remove contaminated clothing and wash all affected areas with plenty of water.

Environmental precautions

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into soil must be alerted to the appropriate regulatory body.

Methods and material for containment and cleaning up

Contain spillages. Cover spills with inert absorbent material. Recover the product where possible. Ventilate the area and wash spill site after material pick-up is complete.

Reference to other sections

See Also Section: 8, 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

When using do not eat or drink. Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Avoid all contact. Remove contaminated clothing and wash clothing before reuse.

Conditions for safe storage, including any incompatibilities

Keep only in original packaging. Keep in a well ventilated place. Keep container closed.

Storage temperature

Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources.

Storage life

Stable at ambient temperatures.

Incompatible materials

Keep away from oxidising substances. Avoid contact with acids and alkalis.

Specific end use(s)

See Section: 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

SUBSTANCE	CAS No.	8-hour Occupational Exposure Limits			15-minute or ceiling Occupational Exposure Limits		Note
		ppm	mg/m ³	f/cc	STEL (ppm)	STEL (mg/m ³)	
Silver	7440-22-4	-	0.1	-	-	-	Alberta; OEL
Xylene	1330-20-7	100	434	-	150	651	Alberta; OEL
Ethylbenzene	100-41-4	100	434	-	125	543	Alberta; OEL
Toluene	108-88-3	50	188	-	-	-	Alberta, 1; OEL

Source:

Alberta: Occupational Health And Safety Code, 2009

Note: 1 - Can be absorbed through skin.

OEL: Quebec Work Health and Safety Regulations, Health and safety work Act, (chapter S – 2.1, a. 223)

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Silver	7440-22-4	-	0.01	-	0.03	WEL; NW; YK
Xylene	1330-20-7	100	-	150	-	NW
		100	435	150	650	YK, Sk
Ethylbenzene	100-41-4	100	-	125	-	NW
		100	435	125	545	YK
Toluene	108-88-3	50	-	60	-	NW, Sk
		100	375	150	560	YK, Sk



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

Source:

WEL: Occupational Health and Safety Guidelines Part 5: Chemical Agents and Biological Agents (British Columbia)

NW: WSCC, Occupational Health & Safety Regulations, Northwest Territories Volume 3

Yukon Territory (YK): Occupational Health and Safety Act . O.I.C. 1986/164 Occupational Health Regulations.

Sk - Can be absorbed through skin.

SUBSTANCE	CAS No.	Time Weighted Average (TWA) (ppm)	STEL (ppm)	Note
Silver	7440-22-4	0.1	0.3	SK
Triethylenetetramine	112-24-3	0.5	-	WEL, Sk
Xylene	1330-20-7	100	150	SK
Ethylbenzene	100-41-4	100	125	SK
Toluene	108-88-3	50	60	SK, Sk

Source:

WEL: Occupational Health and Safety Act, R.R.O. 1990, REGULATION 833, CONTROL OF EXPOSURE TO BIOLOGICAL OR CHEMICAL AGENTS (Ontario)

Saskatchewan (SK): The Occupational Health and Safety Act, 1993. O-1.1 REG 1; The Occupational Health and Safety Regulations, 1996.

Sk - Can be absorbed through skin.

Biological limit value

Not established.

Exposure controls

Appropriate engineering controls

Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Take action to prevent static discharges. Keep away from fire, sparks and heated surfaces.

Personal protection equipment

Use personal protective equipment as required. Take care for general good hygiene and housekeeping. Avoid all contact. Avoid inhalation of vapours that may be evolved at elevated temperatures.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/ face protection



Wear eye protection with side protection (EN166). Eyewash bottles should be available.

Skin protection (Hand protection/ Other)



Hand protection

Wear impervious gloves (EN374).

Body protection Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. Recommended: A self contained breathing apparatus may be appropriate.

Thermal hazards

Not applicable.

Environmental Exposure Controls

Avoid release to the environment. Spillages or uncontrolled discharges into soil must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

Appearance	Silver / Grey, Viscous
Odour	Ammonia odour.
Odour threshold	Not available
pH	Not determined
Melting point/freezing point	Not determined
Initial boiling point and boiling range	> 150 °C
Flash point	122 °C [Closed cup]
Evaporation rate	Not determined
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	Not applicable
Vapour pressure	Not determined
Vapour density	> 2
Relative density	2.0
Solubility(ies)	Water: Insoluble
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature	315 °C
Decomposition Temperature	Not determined
Viscosity (mPa. s)	Not determined
Explosive properties	Not explosive
Oxidising properties	Not oxidising
Other information	
Density	None known

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerisation will not occur. Can polymerise exothermically if in contact with acids.
Conditions to avoid	Avoid prolonged storage at elevated temperature.
Incompatible materials	Keep away from oxidising substances. Avoid contact with acids and alkalis.
Hazardous decomposition product(s)	Combustion products: Carbon monoxide, Carbon dioxide, Nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects	
Acute toxicity - Oral	Mixture: Acute toxicity. 4; Harmful if swallowed. Calculated acute toxicity estimate (ATE) < 2,000 mg/kg.
Fatty acids, soya, reaction products with polyethylenepolyamines	Acute Tox. 4; Harmful if swallowed.
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	No data
3,6,9,12-tetraazatetradecamethylenediamine	Not classified
Triethylenetetramine	LD50 (oral,rat) mg/kg: >2000 (OECD 423) Acute Tox. 4; Harmful if swallowed. LD50 (oral,rat) mg/kg: 1716 (OECD 401) Acute Tox. 4; Harmful if swallowed. Harmonised Classification No data
Xylene	Not classified - LD50 > 2 000 mg/kg bw/day (rat) EU Method B.1
Acute toxicity - Dermal	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
Fatty acids, soya, reaction products with polyethylenepolyamines	Not classified
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	No data
3,6,9,12-tetraazatetradecamethylenediamine	Not classified
Triethylenetetramine	LD50 > 2000 mg/kg bw/day (rat) OECD 402 Acute Tox. 4; Harmful in contact with skin. LD50 (skin,rabbit) mg/kg: 1465 (OECD 402) Acute Tox. 4; Harmful in contact with skin. Harmonised Classification No data
Xylene	Acute Tox. 4; Harmful in contact with skin. Harmonised Classification
Acute toxicity - Inhalation	Mixture: Based upon the available data, the classification criteria are not met.



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019

In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

Fatty acids, soya, reaction products with polyethylenepolyamines	Calculated acute toxicity estimate (ATE) > 5 mg/l
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	Not classified
Triethylenetetramine	No data
Xylene	Not classified
Skin corrosion/irritation	No data
Fatty acids, soya, reaction products with polyethylenepolyamines	Acute Tox. 4; Harmful if inhaled. Harmonised Classification
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	Mixture: Skin Corr. 1; Causes severe skin burns and eye damage.
Triethylenetetramine	Skin Irrit. 2; Causes skin irritation.
Xylene	No data
Serious eye damage/irritation	Skin Irrit. 2; Causes skin irritation.
Fatty acids, soya, reaction products with polyethylenepolyamines	Irritating to skin. (in vitro) (OECD 439)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	Skin Corr. 1A; Causes severe skin burns and eye damage. Harmonised Classification
Triethylenetetramine	Corrosive to skin. (rabbit) (OECD 404)
Xylene	Skin Corr. 1; Harmonised Classification
Respiratory or skin sensitization	No data
Fatty acids, soya, reaction products with polyethylenepolyamines	Skin Irrit. 2; Causes skin irritation. Harmonised Classification
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	ECHA Registration Endpoint summary: Irritating to eyes, respiratory system and skin.
Triethylenetetramine	Mixture: Eye Dam. 1; Causes serious eye damage.
Xylene	Eye Dam. 1; Causes serious eye damage.
Germ cell mutagenicity	Eye Dam. 1; Causes serious eye damage.
Fatty acids, soya, reaction products with polyethylenepolyamines	Severely irritating to eyes. (rabbit) (OECD 405)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	Eye Dam. 1; Causes serious eye damage.
Triethylenetetramine	Corrosive to eyes. (rabbit) (OECD 405)
Xylene	Skin Corr. 1; Harmonised Classification
Skin corrosion/irritation	No data
Fatty acids, soya, reaction products with polyethylenepolyamines	Eye Irrit. 2; Causes eye irritation.
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	ECHA Registration Endpoint summary: Irritating to eyes, respiratory system and skin.
Triethylenetetramine	Mixture: Skin Sens. 1; May cause an allergic skin reaction.
Xylene	Skin Sens. 1; May cause an allergic skin reaction.
Serious eye damage/irritation	No data
Fatty acids, soya, reaction products with polyethylenepolyamines	Skin Sens. 1; May cause an allergic skin reaction.
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	Sensitisation (mouse): Positive (OECD 429)
Triethylenetetramine	Skin Sens. 1; May cause an allergic skin reaction. Harmonised Classification
Xylene	Sensitisation (guinea pig) - Positive (OECD 406)
Germ cell mutagenicity	Skin Sens. 1; Harmonised Classification
Fatty acids, soya, reaction products with polyethylenepolyamines	No data
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	Not classified - ECHA Registration Endpoint summary: Negative
Triethylenetetramine	Mixture: Based upon the available data, the classification criteria are not met.
Xylene	Not classified
Serious eye damage/irritation	No data
Fatty acids, soya, reaction products with polyethylenepolyamines	Not classified
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	In vitro: Negative (OECD 487)
Triethylenetetramine	In vivo: No data
Xylene	Not classified
Serious eye damage/irritation	In vitro: Negative (OECD 482)
Fatty acids, soya, reaction products with polyethylenepolyamines	In vivo: Negative (mouse) (OECD 474)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	Not classified
Triethylenetetramine	In vitro: No data
Xylene	In vivo: No data
Serious eye damage/irritation	Not classified - In vitro: Negative (Chinese hamster Ovary)
Fatty acids, soya, reaction products with polyethylenepolyamines	EU Method B.10 In vivo: Negative (mouse) OECD 478
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine 3,6,9,12-tetraazatetradecamethylenediamine	
Triethylenetetramine	
Xylene	



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

Carcinogenicity

Fatty acids, soya, reaction products with polyethylenepolyamines
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine
3,6,9,12-tetraazatetradecamethylenediamine

Triethylenetetramine

Xylene

Reproductive toxicity

Fatty acids, soya, reaction products with polyethylenepolyamines
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

3,6,9,12-tetraazatetradecamethylenediamine

Triethylenetetramine

Xylene

STOT - single exposure

Fatty acids, soya, reaction products with polyethylenepolyamines
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine
3,6,9,12-tetraazatetradecamethylenediamine

Triethylenetetramine

Xylene

STOT - repeated exposure

Fatty acids, soya, reaction products with polyethylenepolyamines
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

3,6,9,12-tetraazatetradecamethylenediamine

Triethylenetetramine

Xylene

Mixture: Based upon the available data, the classification criteria are not met.
Not classified
No data
Not classified
No data
Not classified
No evidence of carcinogenic effects. (mouse) (OECD 451)
Not classified
No data
No specific effects and/or symptoms have been reported or known.
Not classified - Negative (rat) EU Method B.32
Mixture: Based upon the available data, the classification criteria are not met.
Not classified
No data
Not classified
Reproductive toxicity: NOAEL (rat) mg/kg bw/day 1000. No effects observed (OECD 422)
Developmental Toxicity: No data
Not classified
Reproductive toxicity: No data
Developmental Toxicity: No data
Not classified
Reproductive toxicity: No effects observed (rat) (OECD 422)
Developmental Toxicity: No data
Not classified - ECHA Registration Endpoint summary: Not classified for reproductive or developmental toxicity.
Mixture: Based upon the available data, the classification criteria are not met.
Not classified
No data
Not classified
No data
Not classified
No data
Not classified
STOT SE 3; May cause respiratory irritation.
ECHA Registration Endpoint summary: Irritating to eyes, respiratory system and skin.
Mixture: STOT RE 2; May cause damage to organs through prolonged or repeated exposure.
Not classified
No data
Not classified
Oral: NOAEL (rat) mg/kg bw/day 1000 (OECD 422)
Inhalation: No data
Dermal: No data
Not classified
Oral: NOAEL (rat) mg/kg bw/day 50 (OECD 422)
Inhalation: No data
Dermal: No data
Not classified
Oral: No data
Inhalation: No data
Dermal: No data
STOT RE 2; May cause damage to organs through prolonged or repeated exposure.
Oral: Adverse effects observed – NOAEL (rat) 250 mg/kg bw/day
Inhalation: Adverse effects observed – NOAEC (rat) 3515 mg/m³
Dermal: Not classified - No data



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019

In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

Aspiration hazard

Fatty acids, soya, reaction products with polyethylenepolyamines
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine
3,6,9,12-tetraazatetradecamethylenediamine
Triethylenetetramine
Xylene

Mixture: Based upon the available data, the classification criteria are not met.
Not classified - Not applicable

Asp. Tox. 1; May be fatal if swallowed and enters airways.

Hydrocarbon

None.

Other information

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Silver

Mixture: Aquatic Acute 1; Very toxic to aquatic life.
Aquatic Chronic 1; Very toxic to aquatic life with long lasting effects.

Aquatic Acute 1

Short term: LC50 (fish) mg/l 0.12 (Bielmyer GK et al, 2007)

Aquatic Chronic 1

Long Term: NOEC (Fish) mg/l 0.13 (Ward TJ et al, 2006)

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids

Aquatic Chronic 2; Acute Toxicity: LC50 (fish) mg/l 7.07 (96 hour) (OECD 203)

3,6,9,12-tetraazatetradecamethylenediamine

Chronic Toxicity: No data

Aquatic Acute 1;

Short term: LC50 (fish) mg/l 0.18 (EU Method C.1)

Aquatic Chronic 1

Triethylenetetramine

Long Term: No data

Aquatic Chronic 3 Harmonised Classification

Acute Toxicity: No data

Chronic Toxicity: No data

Xylene

Aquatic Chronic 3; EU Harmonised Classification

Short term: Not classified - LC50 (fish) mg/l 2.6 OECD 203

Long Term: NOEC (Fish) mg/l >1.3 (Walsh et al, 1977)

The product is likely to persist in the environment.

Persistence and degradability

Silver

Not applicable for inorganic substances

Fatty acids, soya, reaction products with polyethylenepolyamines

No data

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine
3,6,9,12-tetraazatetradecamethylenediamine

Inherently biodegradable, not fulfilling criteria. ECHA registration dossier

Not readily biodegradable (according to OECD criteria). ECHA registration dossier

Triethylenetetramine

No data.

Xylene

Readily biodegradable. (10 Days) OECD 301 F

Bioaccumulative potential

Silver

The product has low potential for bioaccumulation.

Fatty acids, soya, reaction products with polyethylenepolyamines

BCF = 70 - The substance has low potential for bioaccumulation. ECHA registration dossier

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine
3,6,9,12-tetraazatetradecamethylenediamine
Triethylenetetramine

No data

Bioconcentration factor (BCF) : 77.4 The substance has high potential for bioaccumulation. ECHA registration dossier

No data.

No data.

Xylene

The substance has low potential for bioaccumulation. ECHA registration dossier

Mobility in soil

Silver

The product is predicted to have low mobility in soil.

Fatty acids, soya, reaction products with polyethylenepolyamines

The substance is predicted to have low mobility in soil. ECHA registration dossier

No data

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine
3,6,9,12-tetraazatetradecamethylenediamine

No data.

The substance is predicted to have moderate mobility in soil. ECHA registration



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

Triethylenetetramine	dossier
Xylene	No data.
	The substance is predicted to have moderate mobility in soil. ECHA registration dossier
Results of PBT and vPvB assessment	
	No data for the mixture as a whole. None of the substances in this product fulfil the criteria for being regarded as a PBT or vPvB substance.
Silver	Not classified as PBT or vPvB. ECHA registration dossier
Fatty acids, soya, reaction products with polyethylenepolyamines	Not classified as PBT or vPvB.
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	Not classified as PBT or vPvB. ECHA registration dossier
3,6,9,12-tetraazatetradecamethylenediamine	Not classified as PBT or vPvB. ECHA registration dossier
Triethylenetetramine	Not classified as PBT or vPvB.
Xylene	Not classified as PBT or vPvB. ECHA registration dossier
Other adverse effects	Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EC) No 517/2014).

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	Dispose of wastes in an approved waste disposal facility. Recover or recycle if possible.
Waste code(s) / waste designation(s)	08 04 09 Packaging waste: 15 01 10
Additional Information	Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

SECTION 14: TRANSPORT INFORMATION

	Road/Rail (ADR/RID)	Sea transport (IMDG)	Air (ICAO/IATA)
UN number	UN1760	UN1760	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (3,6,9,12-tetraazatetradecamethylenediamine; Triethylenetetramine)	CORROSIVE LIQUID, N.O.S. (3,6,9,12-tetraazatetradecamethylenediamine; Triethylenetetramine)	CORROSIVE LIQUID, N.O.S. (3,6,9,12-tetraazatetradecamethylenediamine; Triethylenetetramine)
Transport hazard class(es)	8	8	8
Hazard Identification Number	80	Not applicable	Not applicable
Classification code:	C10	Not applicable	Not applicable
Packing group	III	III	III
Environmental hazards	Environmentally hazardous substance	Classified as a Marine Pollutant.	Environmentally hazardous substance
Special precautions for user			
Special Provisions	274	274	A3
Limited Quantities	5L	5L	5kg (Y844)
Excepted Quantities	E1	E1	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable		
Additional Information	None known		

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

CEPA (Canadian Environmental Protection Act) - Priority Substances List Xylene: First Priority Substances List, PSL1
CEPA (Canadian Environmental Protection Act) - List of Toxic Substances Xylene: VOC - Item 65



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019
In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

CEPA (Canadian Environmental Protection Act) -
National Pollutant Release Inventory

Silver: Threshold Category = 1A, Mass Threshold = 10 tonnes MPO,
Concentration Threshold = 1%, Note - Thresholds refer to the total of the pure
element and the equivalent weight of the element contained in any compound,
alloy or mixture

Xylene: Threshold Category = 1A, Mass Threshold = 10 tonnes MPO,
Concentration Threshold = 1%; Threshold Category = 5, Mass Threshold = 1
tonne of 10-tonne total VOC air release, Concentration Threshold = N/A; Note -
Thresholds refer to the total of all isomers of xylene: m-xylene (CAS RN 108-38-
3), o-xylene (CAS RN 95-47-6) and p-xylene (CAS RN 106-42-3)

CEPA (Canadian Environmental Protection Act) -
Environmental Emergency Regulations
Canada - Chemicals Management Plan (CMP)

Xylene: Part 1: Substance Likely to Explode. Concentration \geq 1 % w/w.
Minimum quantity = 8000 metric tonnes

Silver: Phase 3 substance

EU regulations

Wassergefährdungsklasse (Germany)
Volatile Organic Compound Content (%):

Water hazard class: 3 (Self classification)
2.61%

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

SECTION 11: Acute toxicity - Oral, STOT - repeated exposure.

Version: 24-July-2019

Date of preparation: 24-July-2019

Date Previous Issue: 24-August-2018

References:

Existing Safety Data Sheet (SDS). Existing ECHA registration(s) for Silver (CAS No. 7440-22-4); Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine (CAS No. 68082-29-1); 3,6,9,12-tetraazatetradecamethylenediamine (CAS No 4067-16-7); Xylene (CAS No. 1330-20-7); Ethylbenzene (CAS No. 100-41-4); Toluene (CAS No. 108-88-3). EU Harmonised Classification(s) for Silver (CAS No. 7440-22-4); Triethylenetetramine (CAS No. 112-24-3); Xylene (CAS No. 1330-20-7); Ethylbenzene (CAS No. 100-41-4); Toluene (CAS No. 108-88-3).

Literature References:

1. Walsh, Armstrong, Bartley, Salman and Frank, 1977, Residues of emulsified xylene in aquatic weed control and their impact on rainbow trout, Appl. Sci. Branch, Eng. Res. Cent. Denver, CO: 15p.

Classification of the substance or mixture	Classification Procedure
Flammable Liquid, Category 4	Flash Point (°C)
Acute toxicity, Category 4 - Oral	Acute Toxicity Estimate Mixture Calculation
Skin corrosion/irritation, Category 1	Threshold Calculation
Skin Sensitisation, Category 1	Threshold Calculation
Eye damage, category 1	Threshold Calculation
Specific target organ toxicity — repeated exposure, Category 2	Threshold Calculation
Hazardous to the aquatic environment, Acute, Category 1	Summation Calculation
Hazardous to the aquatic environment, Chronic, Category 1	Summation Calculation

LEGEND

ADR/RID	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road / RID: Regulations concerning the international railway transport of dangerous goods
BCF	Bioconcentration factor (BCF)
CAS	CAS: Chemical Abstracts Service
DNEL	Derived No Effect Level
EC	EC: European Community
EU	European Union
IATA	IATA: International Air Transport Association
ICAO/IATA	ICAO: International Civil Aviation Organization / IATA: International Air Transport Association
IMDG	IMDG: International Maritime Dangerous Goods



SAFETY DATA SHEET

Version: 24-July-2019 Revision date: 24-July-2019

In accordance with Schedule 1 of the Hazardous Products Regulations (HPR) (WHMIS 2015)

S1184 Adhesive - Part B

LTEL	Long Term Exposure Limit
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
PBT	PBT: Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
STEL	Short Term Exposure Limit
UN	United Nations
vPvB	vPvT: very Persistent and very Toxic

Hazard classification / Classification code:

Flam. Liq. 2; Flammable Liquid, Category 2
Flam. Liq. 3; Flammable Liquid, Category 3
Flam. Liq. 4; Flammable Liquid, Category 4
Acute Tox. 4; Acute toxicity, Category 4
Asp. Tox. 1; Aspiration hazard, Category 1
Acute Tox. 4; Acute toxicity, Category 4
Skin Corr. 1A ; Skin corrosion/irritation, Category 1A
Skin Corr. 1B; Skin corrosion/irritation, Category 1B
Skin Irrit. 2; Skin corrosion/irritation, Category 2
Skin Sens. 1A; Skin Sensitisation, Category 1A
Skin Sens. 1; Skin Sensitisation, Category 1
Eye Dam. 1; Eye damage, category 1
Eye Irrit. 2; Eye Irritation, Category 2
Acute Tox. 4; Acute toxicity, Category 4
STOT SE 3; Specific target organ toxicity — single exposure, Category 3

Repr. 2; Reproductive toxicity, Category 2
STOT RE 2; Specific target organ toxicity — repeated exposure, Category 2
Aquatic Acute 1; Hazardous to the aquatic environment, Acute, Category 1
Aquatic Chronic 1; Hazardous to the aquatic environment, Chronic , Category 1
Aquatic Chronic 2; Hazardous to the aquatic environment, Chronic , Category 2
Aquatic Chronic 3; Hazardous to the aquatic environment, Chronic , Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.
H226: Flammable liquid and vapour.
H227: Combustible liquid.
H302: Harmful if swallowed.
H304: May be fatal if swallowed and enters airways.
H312: Harmful in contact with skin.
H314: Causes severe skin burns and eye damage.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H332: Harmful if inhaled.
H335: May cause respiratory irritation.
H336: May cause drowsiness or dizziness.
H361d: Suspected of damaging the unborn child.
H373: May cause damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Tyco Electronics UK Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Tyco Electronics UK Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.