

SEC

Product Safety Information Sheet

Version: 1.0 Revision date: 6th March 2021 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1048 Adhesive Tape

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements. A Product Safety Information Sheet has been provided for supply chain communication purposes and handling / storage recommendations only.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name	S1048 Adhesive Tape	
Product code(s)	1786 Type; 404-CM N Type.	
Product type	Article with substance/mixture as integ	ıral part
Recommended use and restrictions		
Identified Use(s)	Adhesive; Adhesive Tape	
Uses Advised Against	None known.	
Details of the supplier of the safety da	ita sheet	
Address of Supplier	TE Connectivity Corporation	
	Aerospace, Defense & Marine	
	6900 Paseo Padre Parkway	
	Fremont, CA 94555	
	USA	
Telephone	North America: 1-650-361-7000	
	Monday - Friday 08:00 - 17:00 (GMT)	
E-Mail (competent person)	SDS@te.com	
Emergency telephone number		
Emergency Phone No.	US: CHEMTREC 1-800-424-9300	Operational 24 hours, 7 days
	CN: CHEMTREC 1-800-424-9300	
	Outside North America: 1-703-527-	
	3887 (Collect calls accepted)	
Languages spoken	English	

Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200	This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements. Since this material has no intended release of a substance or mixture and will not result in exposure to a hazardous chemical under normal conditions of use, no hazard classification or Safety Data Sheet is required. A Product Safety Information Sheet has been provided for supply chain communication purposes and handling / storage recommendations only.
Physical hazards	Not applicable.
Health hazards	Not applicable.
Environmental hazards	Not applicable
Label elements	
Product Name	S1048 Adhesive Tape
Hazard Symbol(s)	Not applicable.
Signal Word(s)	Not applicable.
Hazard Statement(s)	Not applicable.
Precautionary Statement(s)	Not applicable.
Other hazards	None known.
Percent of the mixture consists of ingredient(s) of unknown acute toxicity:	Not applicable.



Version: 1.0 Revision date: 6th March 2021 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1048 Adhesive Tape

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not applicable

Mixtures Substances in preparations / mixtures.

As the product is an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, no components need to be listed within section 3 of the SDS as the requirements of SDS regulation do not apply. This product does not contain any known "substances of very high concern" (SVHC's).

SECTION 4: FIRST AID MEASURES



SECT

Description of first aid measures	
Self-protection of the first aider	No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If exposed or concerned: Get medical attention/advice.
Skin Contact	IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
	Molten material can cause severe burns. Do NOT try to peel molten material from the skin. Cool rapidly with water. If on skin immerse in cool water/wrap with wet bandages. Get immediate medical attention.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.
Ingestion	Give plenty of water to drink. Get medical advice/attention if you feel unwell.
Most important symptoms and effects, both acute and delayed	None anticipated.
Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
ION 5: FIREFIGHTING MEASURES	
Extinguishing modia	

Extinguishing media	
Suitable Extinguishing media	Not flammable. In case of fire use extinguishing media appropriate to surrounding
	conditions. Water spray, foam, dry powder or CO ₂ .
Unsuitable extinguishing media	Do not use water jet. Direct water jet may spread the fire.
Special hazards arising from the substance or	May give off noxious and toxic fumes in a fire. Combustion products: Carbon
mixture	monoxide, Carbon dioxide, organic compounds.
Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained
	breathing apparatus. Do not breathe fumes. Keep containers cool by spraving

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Methods and material for containment and cleaning up No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Avoid release to the environment. Contain spillages. Allow product to cool/solidify and pick up as a solid. Recover the product where possible. Ventilate the area and wash spill site after material pick-up is complete. Wet clean or vacuum up solids. Use appropriate container to avoid environmental contamination.

with water if exposed to fire. Prevent run off water from entering drains if possible.



Version: 1.0 Revision date: 6th March 2021 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1048 Adhesive Tape

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Remove contaminated clothing and wash clothing before reuse.
Conditions for safe storage, including any	Keep only in original packaging. Keep in a well-ventilated place. Keep container
incompatibilities	closed.
Storage temperature	Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources.
Storage life	Stable at ambient temperatures.
Incompatible materials	Keep away from oxidising substances. Avoid contact with acids and alkalis.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Occupational Exposure Limits

Substance	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	(STEL (ppm)	STEL (mg/m ³)	Note	Source
Ethyl Benzene 100-41-4		100	435	125	545	-	NIOSH
	100-41-4	100	435	-	-	-	OSHA
		20	-	-	-	A3	ACGIH
Toluene 108-88-3		100	375	150	560	-	NIOSH
	108-88-3	200	-	-	-	-	OSHA
	20	-	-	-	A4	ACGIH	
n-propyl alcohol 7 ⁷		200	500	250	625	-	NIOSH
	71-23-8	200	500	-	-	-	OSHA
		100	-	-	-	A4	ACGIH

Source:

ACGIH: American Conference of Governmental Industrial Hygienists - Threshold limit values (TLV) 2017 NIOSH: National Institute for Occupational Safety and Health (NIOSH) Recommended exposure limits (RELs) OSHA Permissible Exposure Limit (PEL): Occupational Safety and Health Standards, 1910.1000 TABLE Z-1; 1910.1000 TABLE Z-3

Note:

A3: Confirmed animal carcinogen with unknown relevance to humans.

A4: Not Classifiable as a Human Carcinogen

Biological limit value	Not established.
Exposure controls	
Appropriate engineering controls	Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Keep away from fire, sparks and heated surfaces.
Personal protection equipment	Use personal protective equipment as required. Take care for general good hygiene and housekeeping. Avoid inhalation of vapours that may be evolved at elevated temperatures.
Eye/ face protection	Not normally required. For handling molten product, Wear eye protection with side protection (Recommended / Similar with: EN166). Eyewash bottles should be available.



Version: 1.0 Revision date: 6th March 2021 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1048 Adhesive Tape



Skin protection (Hand protection/ Other)



Not normally required. For handling molten product:

Hand protection

Wear Insulating gloves; Recommended / Similar with: EN 407 (heat). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Body protection Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



Not normally required. If product is molten and vapours/fumes may be present, Wear respiratory protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

information on busic physical and one mouth proper	100
Appearance	Natural / Yellow
Odour	Odourless
Odour threshold	Not applicable (Article)
рН	Not applicable (Article)
Melting point/freezing point	Not determined
Initial boiling point and boiling range	Not applicable (Article
Flash point	Not determined
Evaporation rate	Not applicable (Article)
Flammability (solid, gas)	Not determined
Upper/lower flammability or explosive limits	Not applicable (Article)
Vapour pressure	Not applicable (Article)
Vapour density	Not applicable (Article)
Relative density	Not established
Solubility(ies)	Water: Insoluble
Partition coefficient: n-octanol/water	Not applicable (Article)
Auto-ignition temperature	Not applicable (Article)
Decomposition Temperature	Not determined
Viscosity (mPa. s)	Not applicable (Article)
Explosive properties	Not explosive
Oxidising properties	Not oxidising

Other information

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition product(s)

Stable under normal conditions. Stable under normal conditions. Hazardous polymerisation will not occur. Avoid prolonged storage at elevated temperature. Keep away from oxidising substances. Avoid contact with acids and alkalis. Combustion products: Combustion products: Carbon monoxide, Carbon dioxide, organic compounds

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

None Known



Version: 1.0 Revision date: 6th March 2021 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1048 Adhesive Tape

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements.

Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met.
Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met.
Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met.
Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.
Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
Carcinogenicity	Based upon the available data, the classification criteria are not met.
Reproductive toxicity	Based upon the available data, the classification criteria are not met.
STOT - single exposure	Based upon the available data, the classification criteria are not met.
STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
Aspiration hazard	Based upon the available data, the classification criteria are not met.

Information on likely routes of exposure

Inhalation Ingestion Skin Contact Eye Contact

Early onset symptoms related to exposure

Delayed health effects from exposure

Other information NTP Report on Carcinogens IARC Monographs OSHA Designated Carcinogen NIOSH Occupational Carcinogen List Unlikely – accidental exposure Unlikely – accidental exposure Possible – accidental exposure Unlikely – accidental exposure

Product type: Article with substance/mixture as integral part. Molten material can cause severe burns.

Product type: Article with substance/mixture as integral part. Molten material can cause severe burns.

Not applicable (Article) Not applicable (Article) Not applicable (Article) Not applicable (Article)

SECTION 12: ECOLOGICAL INFORMATION

This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements.

Ecotoxicity Persistence and degradability Bioaccumulative potential Mobility in soil Results of PBT and VPVB assessment Based upon the available data, the classification criteria are not met. No information available. Not applicable (Article) Not applicable (Article) None of the substances in this product fulfil the criteria for being regarded as a PBT or vPvB substance. No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Other adverse effects

Dispose of this material and its container as hazardous waste. Dispose of contents in accordance with local, state or national legislation. Recover or recycle if possible.

SECTION 14: TRANSPORT INFORMATION

This product is regarded as the article and this product is physically and chemically stable under normal conditions. Thus, this product is not regarded as dangerous goods under UN transport regulations.

UN number UN proper shipping name Transport hazard class(es) Road/Rail (ADR/RID) Not applicable. Not applicable. Not applicable. Sea transport (IMDG) Not applicable. Not applicable. Not applicable. Air (ICAO/IATA) Not applicable. Not applicable. Not applicable.



Version: 1.0 Revision date: 6th March 2021 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1048 Adhesive Tape

Hazard Identification Number Classification code Packing group Environmental hazards Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Additional Information Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

None known

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal Regulations

TSCA Inventory TSCA Inventory Notification (Active-Inactive) Rule TSCA Chemical Data Reporting (CDR) Rule All components of this mixture comply with TSCA CDR. Not applicable. All components of this mixture comply with TSCA CDR.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

US State Regulations

Proposition 65 (California)

Not applicable.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Not applicable - V1.0

Version	1.0
Revision Date	6 th March 2021
Date Previous Issue:	Not Applicable

References:

Existing Safety Data Sheet (SDS). Supplier information.

Hazard classification: This material is produced as an "article" as defined in Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America and is therefore exempt from hazard classification and labelling, and SDS requirements.

LEGEND

ADR/RID	European Agreement concerning the International Carriage of Dangerous Goods by Road/ Regulations concerning the international railway transport of dangerous goods
CAS	Chemical Abstracts Service
ECHA	European Chemicals Agency
EU	European Union
IARC	International Agency for Research on Cancer
ICAO/IATA	International Civil Aviation Organization / International Air Transport Association
IMDG	International Maritime Dangerous Goods
LTEL	Long Term Exposure Limit
NTP	National Toxicology Program
OSHA	The Occupational Safety & Health Administration
STEL	Short Term Exposure Limit
TSCA	Toxic Substance Control Act
TWA	Time Weighted Average
UN	United Nations

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. TE Connectivity Corporation gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the



Version: 1.0 Revision date: 6th March 2021 ACCORDING TO OSHA HCS (29 CFR 1910.1200)

S1048 Adhesive Tape

extent that exclusion is prevented by law. TE Connectivity Corporation accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.