

Certificate of Compliance

Certificate Number:

UL-US-L66375-24-
81306102-5

Report Reference:

E66375-20160318

Issue Date:

2024-07-30

Issued to:

TE CONNECTIVITY AUSTRIA GMBH
Schrackstrase 1 Waidhofen An Der Thaya 3830
Austria

This certificate confirms that representative samples of:

WJFX2 - Photocontrols, Plug-in, Locking Type - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date: 2020-07-29

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L66375-24-81306102-5
Report reference E66375-20160318
Date 2024-07-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
2213730, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2213748, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2213871, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2306128, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2306129, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2306130, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2311664, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2315031, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2315539, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2325661, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2336396, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2338716, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2357998, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2359482, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2359615, may be followed by a dash and additional suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3-	Photocontrol cover
2466136, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrols, Plug-in, Locking Type
2468181, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrols, Plug-in, Locking Type
2483388, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts



David Picuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-US-2003099-4

Report Reference:

E66375-20160318

Issue Date:

2024-07-30

Issued to:

**TE CONNECTIVITY AUSTRIA GMBH
Schrackstrase 1 Waidhofen An Der Thaya 3830
Austria**

This certificate confirms that representative samples of:

WJFX2 - Photocontrols, Plug-in, Locking Type - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date: 2020-07-29

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2003099-4
Report reference E66375-20160318
Date 2024-07-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
2213730, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2213748, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2213871, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2306128, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2306129, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2306130, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2311664, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2315031, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2315539, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2325661, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2336396, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2338716, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2357998, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2359482, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2359615, may be followed by a dash and additional suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3-	Photocontrol cover
2466136, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrols, Plug-in, Locking Type
2468181, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrols, Plug-in, Locking Type
2483388, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-2002093-4

Report Reference:

E66375-20160318

Issue Date:

2024-07-30

Issued to:

**TE CONNECTIVITY AUSTRIA GMBH
Schrackstrase 1 Waidhofen An Der Thaya 3830
Austria**

This certificate confirms that representative samples of:

**WJFX8 - Photocontrols, Plug-in, Locking Type Certified for
Canada - Component**

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-01

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2002093-4
Report reference E66375-20160318
Date 2024-07-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
2213730, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2213748, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2213871, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2306128, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2306129, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2306130, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2311664, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2315031, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2315539, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2325661, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2336396, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2338716, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2357998, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2359482, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2359615, may be followed by a dash and additional suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3-	Photocontrol cover
2466136, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrols, Plug-in, Locking Type
2468181, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrols, Plug-in, Locking Type
2483388, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L66375-44-
81306102-5

Report Reference:

E66375-20160318

Issue Date:

2024-07-30

Issued to:

TE CONNECTIVITY AUSTRIA GMBH
Schrackstrase 1 Waidhofen An Der Thaya 3830
Austria

This certificate confirms that representative samples of:

WJFX8 - Photocontrols, Plug-in, Locking Type Certified for
Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-01

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L66375-44-81306102-5
Report reference E66375-20160318
Date 2024-07-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
2213730, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2213748, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2213871, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2306128, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2306129, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2306130, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2311664, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2315031, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2315539, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2325661, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2336396, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2338716, May be follow by a dash and additional suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3-	Photocontrol cover
2357998, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2359482, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts
2359615, may be followed by a dash and additional suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3-	Photocontrol cover
2466136, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrols, Plug-in, Locking Type
2468181, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrols, Plug-in, Locking Type
2483388, may be follow by a dash and additional suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1-	Photocontrol base with blades and dimming contacts



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

