


ALUMINUM MAGNET WIRE MAG-MATE TERMINALS WITH FASTON TAB INTERFACE

INSULATION DISPLACEMENT CONTACT (IDC) TERMINAL FOR LOW-COST, RELIABLE MAGNET WIRE CONNECTIONS

MAG-MATE terminals for aluminum magnet wire were developed to support the growing adoption of aluminum as a light-weight and low-cost alternative to copper magnet wire. They feature a double insulation displacement contact (IDC) slot that supports high throughput termination of aluminum or copper magnet wire without wire preparation, welding or soldering. The IDC slot provides multiple contact points for connection reliability and accommodates up to 2 magnet wires. To connect with input wire, the terminals feature the commonly used 250 series FASTON tab interface, allowing application across a variety of industries.



ELECTRICAL (POWER / SIGNAL)

- Max Rated Current
 - Aluminum: 9.5A (0.72mm wire)
 - Copper: 12.5A (0.64mm wire)
- Wire sizes (mm)
 - Aluminum: 0.45-0.72
 - Copper: 0.45-0.64

MATERIALS

- Brass plated tin

STANDARDS

- EIA-364

ADDITIONAL RESOURCES

- Product Specification: [108-2012](#)
- Application Specification: [114-2046](#)
- [MAG-MATE Terminals Product Page](#)


KEY FEATURES

- IDC termination of magnet wire without wire preparation, welding or soldering
- Compatibility with both aluminum and copper magnet wire
- Multi-point contact helps ensure a reliable electrical connection
- FASTON tab terminal interface seamlessly integrates into a wide range of applications
- Terminals support up to 2 magnet wires per IDC slot to help simplify electrical designs

APPLICATIONS



Dishwasher




Automotion
and Control



HVAC
Equipment



Washer
and Dryer



Motors

ALUMINUM MAGNET WIRE MAG-MATE TERMINALS WITH FASTON TAB INTERFACE

PARTS

Al Wire Size (mm)	Copper Wire Size (mm)	Part Number
0.57-0.72	0.45-0.64	2825663-3
0.45-0.51*	-	2232555-3

*IDC slot supports single or double wire

te.com

TE, TE Connectivity, TE connectivity (logo), FASTON, and MAG-MATE are trademarks owned or licensed by the TE Connectivity Ltd. family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application. TE Connectivity reserves the right to make any adjustments to the information contained herein at any time without notice.

©2024 TE Connectivity. All Rights Reserved.

Published 08-24